12~24VDC

Mini Stealth

6-LED Directional Warning Lamp

(Surface Mount)













Now available in Vertical **Mount Optics**

FEATURES

- Super low profile for discreet mounting.
- Available in vertical mount optics.
- Multi-Voltage Input 12~24VDC.
- Built-in 19 selectable flash patterns.
- LEDs rated to 100,000 hours of operation.
- Non-volatile memory recalls last flash pattern used at power up.
- Multiple units are synchronizable and can flash simultaneously or alternately.
- Reverse polarity protection.
- Weatherproof and vibration resistant design for internal or external use.
- Aluminum base for heat dissipation.

SPECIFICATIONS

Meets: SAE J595, J845, CA13 (R/B), ECE R10-04

Bulb: High-power LED x 6pcs

Warning Patterns: 19 Flash Patterns

Operating Voltage: 12~24VDC

Avg. Current: R/Y 0.40A@12VDC / 0.20A@24VDC

B/W/G 0.58A@12VDC / 0.29A@24VDC

Avg. Power: R/Y 4.8W

B/W/G 6.9W

Max. Current: R/Y 0.80A@12VDC / 0.40A@24VDC

B/W/G 1.15A@12VDC / 0.58A@24VDC

Max. Power: R/Y 9.6W

B/W/G 13.8W

Wires: Red-Vcc: 20cm (20AWG)

Black-GND: 20cm (20AWG)


Yellow-Flash Patterns & Sync: 20cm (20AWG)

Fuse Recommended: 3A

Multi-Unit Synchronization: Over 15 units

Available in: BLUE, AMBER, RED, GREEN, WHITE

DIMENSIONS



PART NO.

- MS6BS-BB (BLUE/BLUE)
- MS6BS-BY (BLUE/AMBER) MS6BS-RB (RED/BLUE)
- MS6BS-RR (RED/RED)
- MS6BS-RW (RED/WHITE)
- MS6BS-RY (RED/AMBER)
- MS6BS-WW (WHITE/WHITE)

■ MS6BS-BW (BLUE/WHITE)

- MS6BS-YR (AMBER/RED)
- MS6BS-YW (AMBER/WHITE) ■ MS6BS-YY (AMBER/AMBER) ■ MS6BS-GG (GREEN/GREEN)
- M16-0013A-00R MS6S, VERTICAL MOUNT, (AMBER/AMBER)
- M16-0013B-00R MS6S, VERTICAL MOUNT, (BLUE/BLUE)
- M16-0013R-00R MS6S, VERTICAL MOUNT, (RED/RED)
- M16-0013W-00R MS6S, VERTICAL MOUNT, (WHITE/WHITE)
- M16-0013G-00R MS6S, VERTICAL MOUNT, (GREEN/GREEN)

FLASH PATTERN

FP#	Flash Patterns		
1	Random (all)	11	Double (all) (SAE)
2	Single (split)	12	Quad (all) (SAE)
3	Double (split)	13	Quint (all) (SAE)
4	Quad (split)	14	Mega (all)
5	Quint (split)	15	Ultra (all) (SAE)
6	Mega (split)	16	Single-Quad (all)
7	Ultra (split)	17	Single H/L (all)
8	Single-Quad (split)	18	Steady Half
9	Single H/L (split)	19	Steady All
10	Single (all) (SAE, CA13)		

^{*}SPLIT=Left alternate Right *ALL=all LEDs on